

கல்லாமையை
வரிசை
எண் :



இல்லாமை ஆக்குவோம்

படிவத்தின் விலை

மதுரை மாநகராட்சி

மதுரை மாநகராட்சி சட்டம் 1971 பிரிவு 360-வது பிரிவின் படி உரிமம் கோரும் விண்ணப்பம்

அனுப்புனர்

திரு/திருமதி

.....
.....

பெறுபவர்

ஆணையாளர்,
மதுரை மாநகராட்சி,
மதுரை - 625 002.

ஐயா,

நான் மதுரை மாநகராட்சி சட்டம் 1971 பிரிவு 360 ன் கீழ் இயந்திர நிறுவனம் செய்ய உத்தேசித்து, கீழ் கண்ட விபரங்களுடன், வரைபடம் மூன்று நகல்களும் அனுப்பியுள்ளேன். எனக்க இயந்திர நிறுவனம் செய்ய அனுமதி வழங்குமாறு கேட்டுக் கொள்கிறேன்.

பிரிவின் படி உரிமம் கோரும் விண்ணப்பம்

1. விண்ணப்பதாரர் பெயர் :
2. நிறுவனர் பெயர் :
3. இயந்திரம் நிறுவப்படும் கதவிலக்கம் :
4. பணம் செலுத்திய விபரம் : செலுத்துச் சீட்டு எண், மற்றும் நாள்
5. தொழில் விபரம் :

6. ஏற்கனவே பெறப்பட்ட இயந்திர நிறுவன விபரங்கள்

(பிரதான மற்றும் துணை மின்சாதனங்கள் விபரம்)

வரிசை பிரதான மின் பொறியின் பிரதான மின்பொறியில் இயங்கும்
எண் குதிரை வேகம் துணை மின் பொறிகள்

ஒப்புதல் சான்றிதழ்

நாள் : _____

வரிசை. எண்
கோப்பு எண்.

விண்ணப்பம் அலுவலகத்தில் பெற்றுக்கொள்ளப்பட்டது .

மதுரை மாநகராட்சி அலுவலகம்

மதுரை

நாள் : _____

வரிசை. எண்

கோப்பு எண்.

ஒப்புதல்

பொருள் : இயந்திர நிறுவனம் மனுதாரர் பெயர்

பார்வை : விண்ணப்ப நாள்

பார்வையில் கண்ட விண்ணப்பம் அலுவலகத்தில் பெற்றுக்கொள்ளப்பட்டது .

ஆணையாளருக்காக

தற்போது தேவைப்படும் உத்தேச

இயந்திர நிறுவன விபரங்கள்

வரிசை எண்

பிரதான மின் பொறியின்

பிரதான மின்பொறியில் இயங்கும்

குதிரை வேகம் (மின் /

துணை மின் பொறிகள்

ஆயில்இயந்திரம்)

7. பணியில் அமர்த்தப்படும்

வேலையாட்களின் எண்ணிக்கை

8, கூடுதல் விபரம் தருவதாயின் குறிப்பிடுக,

விண்ணப்பதாரரின் கையொப்பம்

நாள் :

மதுரை :

மேலே குறிப்பிட்ட இயந்திர நிறுவனம் செய்து கொள்வதற்கு எனது பூரண
சம்மதத்தை தெரிவித்துக் கொள்கிறேன்,

கட்டிட / மனையின்

உரிமையாளர் கையொப்பம்

மதுரை மாநகராட்சி நகரமைப்பு பிரிவு

குடிசைத் தொழில் விண்ணப்பம் ஆய்வு படிவம்

இயந்திர நிறுவன விண்ணப்பங்கள் கீழ் குறிப்பிட்ட விபரங்களுடன் உள்ளதா என சரிபார்த்து பெறப்பட வேண்டும்,

- 1, ரூபாய் ஒன்று பெறுமான நீதிமன்ற வில்லை ஒட்டப்பட்டு ஆணையாளர் முகவரியிட்டு விண்ணப்பம் ,
- 2, வரைபட பரிசீலனை கட்டணம் செலுத்தப்பட்ட ரசீது,
- 3, இயந்திர நிறுவன உரிமையாளராகத் தொகை செலுத்தப்பட்ட ரசீது
- 4, இயந்திர நிறுவன வரைபட நகல்கள்/ மூன்று,
- 5, இயந்திர நிறுவன கட்டிடத்திற்கு பக்கத்தில் உள்ளவர்களது சம்மதக் கடிதம்
- 6, இட உரிமையாளரின் சம்மதக் கடிதம்
- 7, பதிவு அஞ்சலுக்குரிய தபால்தலை ஒட்டிய தன் முகவரியிட்ட உறை,
- 8, சுற்றுப்புற விபரங்கள் () குறிப்பிட்ட வரைபடம் வரையறுக்கப்பட்ட விபரம்
- 6, வீட்டு வரிகாலிமனை வரி மற்றும் குழாய்வரி பாக்கியில்லா சான்றிதழ்,

மேற்படி இணைப்புகளுடன் கூடிய வரைபடம் கீழ் குறிப்பிட்ட விதிகளை திருப்தி செய்கிறதா எனவும் பரிசீலிக்கப்படவேண்டும் ,

- 1, குடிசைத் தொழில் இயந்திர நிறுவன அறையில் உயரம் 9 அடி (1,75மீ) அறையின் அகலம் 8 அடி (2,4மீ) பரப்பளவு 80 அடி (7,5ச,மீ) இருத்தல் வேண்டும்,
- 2, இயந்திர நிறுவன அறையின் சன்னல்களின் அளவு 3'0" X 6 " அடிக்கு (0.5 Sq. 1.85மீ) குறையாமல் இருத்தல் வேண்டும்,
- 3, இயந்திர நிறுவன அறையின் தரைமட்டம் நிலையிலிருந்து குறைந்தது 1 அடி (0,3 மீ) உயரத்தில் இருத்தல் வேண்டும்,
- 4, கதவுகள்.ஐன்னல்கள் வெளிப்பக்கம் திறக்கும் சவசதியுடன் இருத்தல் வேண்டும்,
- 5, எளிதல் தீப்பற்றக்கூடிய பொருட்களால் வேயப்பட்ட கரைகளாக இருக்கக் கூடாது,
- 6, இயந்திர நிறுவனத்தை சுற்றி நான்கு பக்கங்களிலும் உள்ள குடியிருப்பு கட்டிய உரிமையாளர்களின் சம்மதக் கடிதம் இணைத்தல் வேண்டும்,
- 7, மனை அல்லது கட்டிட உரிமையில்லாத ஒருவர் நிறுவனம் அமைப்பதற்கு மனை அல்லது கட்டிடம் உரிமையாளர்களின் சம்மதக் கடிதம் பெற்ற இணைத்தல் வேண்டும்,
- 8, மொத்தக் காற்றோட்ட வெளிச்சம் இயந்திர நிறுவன அறையின் மொத்தப் பரப்பில் ஐந்தில் ஒரு பங்கு உள்ளதா என சரி பார்க்க வேண்டும்,
- 9, இணைப்பு 1 ல் குறிப்பிட்ட பட்டியலில் கண்ட இனங்களில் உள்ளதா என சரி பார்க்க வேண்டும்,

**OFFICE OF THE CORPORATION OF MADURAI
MADURAI –625 002. DATED :**

Particulars Regarding the Location of the
Place of enclosed installation.

Survey Ward No.

Block No

Survey No. Door No. & Street.

Location of the site

(Please strike of which is not applicable)

Industrial Area

Residential

Excluded

Not Notified

Chief Planning Officer.

To

The Health Officer.

**QUESTIONAIR TO ANSWERED BY PUBLIC HEALTH DEPARTMENT REEATING
TO INSTALLATION OF MACHINARLES.**

CURRENT N.H 7 /

HEALTH SECTION DATE OF INSPECTOR

1. Name of applicant and address :
2. Plan of installation with S.No.Dr.No
and name of Street :
3. Does the site and the building belong
to the applicant ? If not has the
consent of the owner been obtained; :
4. Is the Plan is accordance with the
requirements in G.Oms.No.1856 –
A & M dt.16.12.1932 1 :
5. Purpose of proposed installetion if any :
6. Details of existing installation if any :
b) are the existing instillation permitted?
(please not order No. add date for each Case):
7. Maximum No of employed proposed to be
employed :
8. a) H.P.of primannobar to be instalied
(Electrical or other power) :
b) Nature of purpose and No. of subsidiary
machination proposed ? :
9. If more them 9 workers are to be proposed to
be employed has to approbal of inspector of
factories been obtained. :

10. Is lighting adequate (whether ventilation opening at the rate of 5 sft. for each employee provided) :
11. In the height of machine room 128 high and Non-machine room 19" :
12. Is there a roof ventilators as required in clause J(b) of Annexure to G.O 3088 PH dt 30.12.46? :
13. Are all windows 5 "high :
14. Are there two exits to each work roof for Apart as possible opening outwards and whether The height is not less than 6" width 4"? :
15. Whether door open inwards or outwards or Whether they are sliding ? :
16. Are there 35 sq. ft. net floor area and 600 cu-ft. Of breath in space for each operating employees :
17. Whether the site is in the industrial area, Non-industrial area proposed residential area non-industrial area proposed residential area non-residential area and industrial area ? :
18. Are plans showing the layout of the existing and proposed installation clearly distinguishing their capacity and the nature of installation :
19. What is total H.P rating and noting power Proposed to be employed? Whether the Installation is in an existing building or is Proposed to be constructed for the purpose? :
20. Is the building detached? If detached what is the nearest building and who is the owner and who is the present occupant of the building b) If the building attached. If so, what action has been taken to issue notice to all concerned and decision arrived at on the objection if any as per G.O.Ms No.678 Ed & L.A.dt.24-2-55 and G.O.Ms.No.884 dt 9-4-62. :
21. Is the provisions of latrine urinals drains And under supply adequate as per G.O.Ms- No 4830 L & M dt. 16-12-31 ? :
22. Is any part of the premises where in the, Achinaries are proposed to be installed used for Welling purpose? :
23. Is there any school in spot or public place Within proximity of the proposed installation ? If so a What ? distance ? :
24. Has necessary installation for been paid as per the rates in the schedule of rates. :
25. Remarks of the Sanitary Inspector :
26. Recommendation of the Corporation Health Office. :

Health Officer
Corporation of Madurai.

**REPORT ON APPLICATION UNDER SEC. 361 OF THE MADURAI CITY MUNICIPAL CORPORATION
ACT 1971.**

CURRENT NO. TOWN PLANNING SECTION DATE OF INSPECTION

1. Name of application and address :
2. Place of installation with S.No.
Dr. No. & Street name :
3. Does not the site and building belong to the applicant. If not has been consent of the owner been obtained ? :
4. Is the plan in accordance with the requirement
In G.O.Ms.No.4850 L & M dt16.12.31 :
 - a) Are plan showing the layout of the Existing 7 proposed installion clearly dis-Tingushing this capacity and nature of installation enclosed. :
 - b) Whether the installation in an existing Building or is proposed in a building newly Proposed to be constructed for the purpose Purpose of proposed installation :
5. H.P. of prime mover electrical or to be installed of other power :
 - a) Details of existing machineries if any and whether permission has been obtained :
6. Maximum No.of employees proposed to be Employed :
7. Whether the site lies in the industrial are non Industrial area and industrial area :
8. If more than 9 work has to be proposed to be Employed has the approval of inspection of Factories been obtained ? :
9. If the Installation exceeding 15 H.P.has the Approval of Director of Town planning been Obtained ? :
10. Whether the site lies in Town planning Area if so, name of the T.P. Scheme :
11. If any provision of the scheme violated :
12. Is the site plan agreed with ref. To scheme Map proposal in the scheme :
13. Is the building detached? If detached what is the nearest building & who is owner of Resident of the building ? :
14. Is any part of the premises where in machineries are proposed to be installed is used for dwelling purpose ?

15. a) Area there the exists, work room as apart
as possible and whether the height is not
less 6 and width 4 and whether they open
onwards? :
- b). Is the height of machine room 12” high & :
c) Are all windows 3” high ? :
d) Is ther a roof Ventilator as required in
Clause 3(h) of annexing G.O.3008 p.h. dt.
30.10.46 ? :
e) Dist Extracting apparatus if any ?
f) If there any school hospital or public
Place within projunity of the proposed
Installation if so what distance. :

COTTAGE INDUSTRIES

16. Does the installation come under
cottage industries :
17. Whether the industry come under Sch. A of
Madras Cottage industries rule 1960 & if so,
Is the room enclosure therein the installation
Is proposed structurally detached by not Less then 5 from anyother building :
18. If attached to a building is it directly accessible
From any part of such building ? :
19. Is not part of room to enclosure therein the
Installation is proposed used for purpose ? :
20. Has the room of emolumned get a minimum
Floor space of 80s. ft. a width if not less than
8” and height of min. wells ? :
21. Are the walls of room of enclosure made of
Are inflammable materials ? :
22. If not roof examined or Whether with and
on ground or lands ? :
23. Are the windows Ventilators or roof
Ventilators opening directly to air? Is the
total area of such Ventilators not less than
one fifty of the floor area :
24. Is there atleast one door way opening into
vacant space or open verendah of the size
of 6 high and :
25. Is the basement one foot above the adjacent
Ground level ? :
26. Remarks of the building inspector :
27. Recommendation of the Town Planning
officer :

DATA SHEET FOR INSTALLATION APPLICATIONS
MADURAI CORPORATION

1. place of installation with
S.No. Door No. and Street No. :
2. Whether the site lies in
 - a) Residential area :
 - b) Industrial area :
 - c) Non-residential Non-industrial area :
3. Area as per Master Plan Use Zone. :
4. Whether the site lies in Town Planning-
scheme area if so name of the Town
planning scheme and use Zone :
5. Purpose of the proposed installation with
H.P.details and nature of industry :
6. Whether all requirements as per
G.O.No.4850 L&M Dt.16.12.31 :
7. Details of existing machineries if any and
Whether permission has been obtained refe.No:
8. Remarks of the Chief Health Officer :
9. Whether clearance from pollution control
Boards is necessary? :
10. Remarks of Chief Town Planning Officer :

Commissioner

மதுரை மாநகராட்சி அலுவலகம் மதுரை
நாள் :

உத்திரவு

பொருள் : - இயந்திர நிறுவனம் -மதுரை மாநகராட்சி வட்டம்
நகர அளவு

எண் கதவு எண்
தெரு இயந்திர நிறுவனம்

அனுமதி கோரியது-திருப்பி அனுப்பலாயிற்று.

பார்வை : திரு

அவர்களின்

2. நகரமைப்பு மற்றும் அபிவிருத்திக்குழு தீர்மானம் எண்
நாள்

மனுதாரரின் வேண்டுகோளின்படி,மேலே கூறிய இடத்தில்
கு.வே.இயந்திர நிறுவனம் அமைக்க கீழ்க்கண்ட காரணங்களுக்காக திருப்பி அனுப்பப்-
படுகிறது. ஆனுமதி பெறாமல் எவ்வித இயந்திர நிறுவனம் அமைக்கக் கூடாது , அனுமதி
பெறாமல் நிறுவிய இயந்திர நிறுவனத்தை அப்புறப்படுத்த வேண்டியது என்று
தெரிவிக்கப்படுகிறது.

திருப்பி அனுப்பப்பட்டதற்கான காரணங்கள்

ஆணையாளருக்காக

பெறுபவர்
திரு . திருமதி

மதுரை மாநகராட்சி அலுவலகம் மதுரை
நாள் :

கே / /200

மேற்குறிப்பு

பொருள் : - இயந்திர நிறுவனம்

குதிரைத் திறன் மின்சார

மோட்டார் அமைத்தல் கதவு ,சர்வே எண்.

தெரு வார்டு எண்

பார்வை : 1. விண்ணப்பதாரர் திரு.அவர்களின்

தேதிய மனு

2.

தேதிய

நிர்.ந.அ.அதீர்மானம்

மதுரை மாநகராட்சி சட்டம் 362 வது பிரிவின்படி கதவு , சர்வே எண்.

கட்டிடத்தில்

குதிரை திறன் மின்சார மோட்டார்

அமைத்துக் கொள்ள கீழ்க்கண்ட நிபந்தனைகளுடன் அனுமதி வழங்கப்படுகிறது.

1. இந்த அனுமதி கிடைத்த 6 மாதத்திற்குள் இயந்திர நிறுவனம் வேலை முடிக்கப்பட வேண்டும்.

2. குறிப்பிடீருக்கும் காரியத்திற்குத் தவிர வேறு உபயோகங்களுக்கு இதை பயன்படுத்தக் கூடாது.

3. வேலை துவங்குவதற்கு மாநகராட்சி சுகாதார அதிகாரி அவர்களிடமிருந்து லைசென்ஸ் பெற்றுக் கொள்ள வேண்டும்
ஓர் வரைபடத்தின் நகல் இத்துடன் இணைக்கப்பட்டிருக்கிறது.

ஆணையாளருக்காக

பெறுபவர் .

1. மாநகராட்சி சுகாதார அதிகாரி அவர்கள்

2. மாநகராட்சி மின்சார பொறியாளர் அவர்கள்

1. இந்த அனுமதி கிடைத்த 6 மாதத்திற்குள் இயந்திர நிறுவனம் வேலை முடிக்கப்பட வேண்டும்.

2. குறிப்பிடீருக்கும் காரியத்திற்குத் தவிர வேறு உபயோகங்களுக்கு இதை பயன்படுத்தக் கூடாது.

3. வேலை துவங்குவதற்கு மாநகராட்சி சுகாதார அதிகாரி அவர்களிடமிருந்து லைசென்ஸ் பெற்றுக் கொள்ள வேண்டும்
ஓர் வரைபடத்தின் நகல் இத்துடன் இணைக்கப்பட்டிருக்கிறது.

ஆணையாளருக்காக

பெறுபவர் .

மதுரை மாநகராட்சி அலுவலகம் மதுரை
நாள் :

உத்திரவு
பொருள் : - இயந்திர நிறுவனம் -மதுரை மாநகராட்சி வட்டம்
நகர அளவு

எண் கதவு எண்
தெரு இயந்திர நிறுவனம்

அனுமதி கோரியது-திருப்பி அனுப்பலாயிற்று.
பார்வை : திரு அவர்களின்

2. நகரமைப்பு மற்றும் அபிவிருத்திக்குழு தீர்மானம் எண்
நாள்

மனுதாரரின் வேண்டுகோளின்படி,மேலே கூறிய இடத்தில்
கு.வே.இயந்திர நிறுவனம் அமைக்க கீழ்க்கண்ட காரணங்களுக்காக திருப்பி அனுப்பப்-
படுகிறது. ஆனுமதி பெறாமல் எவ்வித இயந்திர நிறுவனம் அமைக்கக் கூடாது , அனுமதி
பெறாமல் நிறுவிய இயந்திர நிறுவனத்தை அப்புறப்படுத்த வேண்டியது என்று
தெரிவிக்கப்படுகிறது.

திருப்பி அனுப்பப்பட்டதற்கான காரணங்கள்

ஆணையாளருக்காக

பெறுபவர்
திரு / திருமதி